

Index

- abdomen: openings in, 90; pain in, 21, 23, 151; surgery, 67. *See also* appendicitis; colostomy
- accidents, 22. *See also* emergency department
- acetaminophen (Tylenol), 142, 151
- acute care hospital, 108–9, 139
- acute respiratory failure, 82–83. *See also* ARDS
- adenosine, 149
- Advil. *See* ibuprofen
- alanine aminotransferase (ALT), 159
- albumin, 159
- alkaline phosphatase (ALP), 159
- allergies: emergencies, 23, 30, 150; to flowers, 12; noted on chart, 139; notifying medical staff about, 25, 31, 98, 128, 139, 153
- allergy and immunology (specialty), 117
- Alzheimer's disease, 45, 130
- amiodarone, 149
- amlodipine, 149
- anemia, 156
- anesthesia: anesthetic drugs, 78, 152; anesthetist/anesthesiologist, 118; general, regional, or local, 61, 118; reactions and complications, 35, 69, 78; topical, 151
- antacids, 151
- anti-anxiety medications, 149, 151
- antibiotics, 49, 70, 149, 174–80
- anticoagulant medications, 71. *See also* heparin
- antifungal medications, 149
- anti-inflammatory drugs, 75. *See also* aspirin; ibuprofen
- anxiety: admitting your own, 206; of dying patient, 203; in the ICU, 93; treatment, 122, 149, 151
- appendicitis, 25, 31–35, 39–40, 66
- ARDS (acute respiratory distress syndrome), 1–2, 83
- arrhythmia. *See* heart: irregular/rapid beat
- art, 208
- arterial blood gas (ABG) test, 154
- arterial line, 91
- aspartate aminotransferase (AST), 159
- aspirin (acetylsalicylic acid), 75, 76, 142
- assessment of patient: assisting with, 168; for care plan, 129; for discharge, 184; in the ER (ED), 30–35; mental status, 169–70; neuro/stroke assessment, 171; vital signs, 173. *See also* diagnosis; triage
- asthma, 22, 36
- asystole, 38–39
- Ativan, 149, 151
- atropine, 39, 149
- attending doctor, 114, 126. *See also* doctors

- bacterial infections: blood tests for, 154;
 indicators, 34; sepsis, 83–94, 154;
 streptococcal infections, 160; super-
 bugs (resistant germs), 159, 174–80;
 after surgery, 70. *See also specific ill-
 nesses and pathogens by name*
- bandages (dressings), 90, 167
- bathing, 165
- bedside vigilance, 161
- bedsores, 91, 130, 161, 172
- behavior, unusual/unfamiliar, 93–94.
See also confusion, mental
- benzodiazepines, 149
- beta-blockers, 151
- bilirubin, 159
- bispectral index (BIS) monitor, 78
- bleeding: around tubes, 90; blood loss,
 70; fluid restoration, 152; stomach
 bleeding (ulcers), 86; during surgery,
 77–78; when to go to ER (ED), 21–23
- blood. *See* bleeding; hematology; sepsis
- blood clots, 71, 86, 150, 157
- blood cultures, 154
- blood pressure (BP): determining, 36,
 91, 165–66; medications, 76, 149, 151;
 normal levels, 36–37, 165
- blood sugar test, 154
- blood tests, 34, 89, 153–60, 165. *See also
 specific tests by name*
- blood thinners, 156–57. *See also* aspirin;
 heparin
- blood transfusions, 65, 70, 86
- blood type, 157
- blood urea nitrogen (BUN) test, 153–61
- bones, broken, 22, 37, 90
- bowels, cleaning, 72, 151, 167
- bradycardia, 38–39
- brain, 45, 92. *See also* confusion, mental;
 stroke
- breaks, for caregiver, 106–7, 112, 114–16,
 197
- breathing difficulties, 21, 211–13. *See also*
 asthma; endotracheal tube; ventilator
- bronchodilators, 76
- bruises, 21, 32, 89
- budesonide, 149
- burns, 22, 178
- cafeteria, 114
- calcium gluconate, 149
- call bell, 127, 161
- Canada: access to health care, 20, 62;
 emergency care, 14, 19–20, 22–24,
 30–32; emergency codes, 163; health-
 care reform, 30; hospice care, 196,
 197; hospital statistics, 109; ICU sta-
 tistics, 81, 99; living wills, 43, 53;
 nurses, 127; surgical costs, 62
- Canadian Triage and Acuity Scale
 (CTAS), 30–31. *See also* triage
- cancer, 9, 119, 120, 178, 202
- cardiac arrest, 38–39, 47. *See also* heart
- cardiac enzyme test, 155
- cardiac monitor, 37, 92
- cardiogenic shock, 82
- cardiology, 118
- care plan, 129–35, 139
- caregiving by family/friends: author's
 experience, 2–3; bathing, grooming,
 and oral care, 165; bedside vigilance,
 161; benefits to patient, 106; care-
 giver's emotions, 205–6; caring for
 yourself, 105–7, 114–16; chart and
 personal journal, 141–48; daily rou-
 tine, 165–74; discharge planning,
 180–81, 184–88; end-of-life care,
 196–97, 203–14 (*see also* hospice
 care); home care, 190; in the ICU, 94;
 insurance issues, 185–88, 190; inte-
 grating families into care, 3–6, 13; IV
 issues, 166–68, 170–71; learning tech-
 niques, 110, 111, 193; notifying staff of
 current medications and allergies, 25,
 98, 128, 153; for patient in isolation,
 180; physical/occupational therapy,
 128–29; providing patient's health

- history, 25, 168; refusing tasks, 193;
 repositioning patient, 161, 172; re-
 source materials, 319–31; resources
 checklist, 115–16; respite care, 197;
 surgery and, 25, 59–65, 69, 72, 78–
 79; surrogate (backup) caregivers,
 96–97; during tests/procedures, 165–
 74; working with care plan, 131
- casts, 37
- CAT (CT) scans, 122, 157, 168
- catheters, 39, 71, 91, 92, 166
- CBC (complete blood count), 34, 155–56
- cell phones, 13, 25, 28, 32, 192
- central line (pulmonary artery catheter),
 91
- central vein catheters, 39
- chaplain(s), 14, 17, 99, 205
- charge nurse (head nurse), 124, 126–27,
 153. *See also* nurses
- chart. *See* medical chart
- checklists: caregiver's chart and journal,
 143–48; contact information (family/
 friends), 95; discharge planning meet-
 ing, 186–87; ER (ED) visit, 27–29;
 family meeting/conference, 104; fol-
 low-up appointments, 189; home
 preparation, 191–92; hospice choice,
 200–201; hospital complaints pro-
 cess, 182–83; hospital information,
 113; ICU questions, 101–2; living
 will legal consultation, 51–52; pre-
 operative assessment, 73–74; pre-
 surgery medications checklist, 76;
 resources for caregivers, 115–16; sur-
 gical consultation, 63–64; ; surrogate
 (backup) caregivers, 97
- chest pain, 21, 149, 151–52. *See also* heart
- chest tube, 39, 91
- Cheyne-Stokes breathing, 212–13
- children, 5, 12, 21, 81
- chronic respiratory failure, 83
- CK (creatine kinase) test, 157
- clopidogrel, 150
- Clostridium difficile*, 179–80
- coagulation (PT/INR) test, 156–57
- codeine, 152
- codes, emergency, 161–63
- coffee shop, 114
- Colace, 150
- colostomy, 90, 172
- coma, 167–68
- compassion, 9–10, 127, 196–97, 205,
 214. *See also* hospice care
- complaints, 181–83
- condition of patient, descriptions of,
 103–5
- confidentiality of medical records, 137–
 38
- confusion, mental, 21, 23, 93, 211
- consent forms, 65, 75, 139
- constipation, 150
- consultants (specialists), 117–23, 137, 139
- contact information, 94–95
- COPD (chronic obstructive pulmonary
 disease), 82–83
- CPR (cardiopulmonary resuscitation),
 47, 54–57, 149. *See also* resuscitation
- crash cart, 38, 162
- creatinine test, 157
- cross and type test, 157
- cystic fibrosis, 178
- D-dimer test, 157
- death and dying: doctors' reactions to,
 15–16; letting go, 213–14; news of pa-
 tient death, 105; responses to dying,
 202–6; signs of, 210–13. *See also* hos-
 pice care; living will; resuscitation
- deep vein thrombosis (DVT), 71, 150.
See also blood clots
- defibrillator, 38, 55; automatic, 90
- dementia, 44–45, 119, 130, 169
- depression, 86, 203
- dermatology, 118
- dextrose, 150
- diabetes, 130, 151, 154

- diagnosis: common tests, 34, 153–61; in the ER (ED), 33–35; stethoscope and, 36–37; surgical diagnosis, 39–40, 71. *See also* assessment of patient
- dialysis, 48, 84, 85, 91, 150
- diarrhea, 21, 179–80
- diet. *See* food
- dietitian, 98, 125, 128
- digestive organs. *See* colostomy; constipation; diarrhea; gastroenterology; stomach; urination
- digoxin, 150
- Dilantin, 152
- disability, permanent, 44–45
- discharge, 180–93; appealing the discharge order, 181; checklist, 185; home preparation/safety, 188, 190–92; instructions for, 139; planning for, 180–81, 184–88
- dizziness, 21
- DNR (do-not-resuscitate) order, 54–57, 139
- doctors: attending doctor, 114, 126; authority, 8; bedside manner, 33; benefits of family presence acknowledged, 106; clothing, 178; consultants (specialists), 117–23; emergency doctors, 22–23, 33 (*see also* emergency department, emergency room); emotions, 10; experience and qualifications, 60, 65; family doctor, 50, 53–54, 62, 115; gender, 8–9; hand washing, 175; hospitalist, 117, 119, 126; in the ICU, 96, 100, 102; and living wills, 44, 50, 53–54; and medical chart, 137; and resuscitation, 14–17, 56–57; talking with, 58–59, 100–102, 126. *See also* staff; surgery
- do-not-resuscitate (DNR) order, 54–57, 139
- dopamine, 150
- dressings (bandages), 90, 167
- drug overdose, 151
- drug screen, 158
- drugs, medical. *See* medications
- E. coli*, 177
- ear, nose, and throat (ENT) specialty, 121
- edema (swelling), 84–85, 89, 150, 157
- electrolytes, 158
- electrosurgery, 68
- elevators, 114
- emergency codes, 161–63
- emergency department, emergency room (ED; ER; emerge): checklist for visit, 27–29; equipment, 35–39; examination and diagnosis, 33–35; family involvement in, 14–17; history, 18–19; misuse, 20–21; statistics, 19, 22; triage, 26, 30–32; typical visit, 25–26, 30–35, 39–40; wait-times, 19–20, 23–24, 26; waiting room tips, 32–33; what to bring, 25–26, 29; when to go (guidelines), 21–22
- EMTs (emergency medical technicians), 18
- endocrinology, 118
- endotracheal tube (ETT; intubation), 39, 91, 92–93, 168–69
- enema, 72, 167
- epinephrine, 39, 150
- equipment, at home, 188, 191
- ER (emergency room). *See* emergency department, emergency room
- errors, medical, 140
- ESBL-producing bacteria, 177
- euthanasia, 198–99
- exercise, caregiver's need for, 106
- eye disorders, 120
- fainting, 21
- falling, 161
- families: family meeting/conference, 100, 104, 116; informing about patient status, 94–95, 103–5; integrating into

- care, 3–6, 13; and living wills, 50, 53–54; presence during resuscitation, 14–17; spokesperson for, 94, 100; understanding what doctors say, 58–59. *See also* caregiving by family/friends
- family doctor, 50, 53–54, 62, 114
- family lounge, 112
- feeding tube. *See* tube feeding
- fellow(s), 123. *See also* doctors
- fever: medications for, 142, 151; as symptom, 39, 71, 154, 179; when to go to ER (ED), 21–22
- fibrillation, 38–39. *See also* defibrillator
- fibrin sealants, 78
- flowers, 12, 88
- Foley (urinary) catheter, 71, 91, 166
- follow-up appointments, 185, 189
- food: avoiding before surgery, 35, 72; caregiver's need for, 106; dietary restrictions, 12; dying patients and, 209, 212; forbidden in the ICU, 88; non-hospital, 12, 128, 161. *See also* cafeteria; dietitian
- food poisoning, 23
- foreign objects, in body, 22
- fungal infections, 149
- furosemide, 150
- gastroenterology, 118
- gender bias, 8, 99
- geriatric medicine (gerontology), 119
- gift shop, 114
- Glasgow Coma Scale, 167–68
- gloves, 88
- glucose test, 154
- Great Britain, 24, 80, 178, 195–96, 202
- grief, 214
- Griswold, Arnold, M.D., 18–19
- grooming, 165
- hand washing (sanitizing), 88, 174–75, 180
- health care, access to, 19–20
- health history, 25, 168
- health insurance: home care and medical devices, 185–88, 190; hospice care, 197–98; lack of, 19–20; medical records and, 139; proof of, 25; and surgical costs, 62
- hearing, 121, 210
- heart: cardiac arrest, 38–39, 47; cardiogenic shock, 82; heart attack tests, 155, 157, 160; heart attack treatment, 22, 38–39, 152–53; medications, 76, 149–52; surgery, 67; irregular/rapid beat, 36, 38–39, 149, 151; monitors, 37, 92; pericarditis, 36; slow beat, 38–39; sounds, 36. *See also* blood pressure (BP); cardiology; chest pain; resuscitation
- hematocrit, 155
- hematology, 119
- hemoglobin test, 155
- heparin, 150
- history of medicine, 18–19, 36, 80, 195–96, 202
- home care, 185–88, 190–92, 197. *See also* discharge: planning for; hospice care
- hospice care: choosing, 198–201; defined, 194–95; family involvement, 5–6, 196–97, 203–9; history, 195–96, 202; professional team, 197. *See also* death and dying
- hospital(s): acute care (general) hospitals, 108–9; children's hospitals, 5; complaints about, 181–83; computerized records, 137; descriptions of patient's condition, 103–5; finding your way around, 111–16; as foreign land, 7; hospital information checklist, 113; length of stay, 109–10; and living wills, 43; quasi-military culture, 8–11; visiting rules/schedules, 11–13. *See also* doctors; nurses; staff
- hospital rooms (types), 111–12

- hospitalist, 117, 119, 126
 hyperkalemia, 152
 hypertension. *See* blood pressure
 hypovolemic shock, 82
- ibuprofen, 76, 151
 incontinence, 211
 infection. *See* bacterial infections; fungal infections; *and specific illnesses and pathogens by name*
 infectious disease specialist, 119
 institutionalization, signs of, 174
 insulin, 151
 insurance. *See* health insurance
 intensive-care unit (ICU): about, 80–81; alarms and buzzers, 87–88; care team (staff), 96–99; caring for yourself, 105–7; conditions requiring ICU stay, 81–87; family involvement, 14; gender bias, 99; history, 80; length of stay, 92; mortality rate, 87; patient appearance, 89–93; patient behavior, 93–94; talking with staff, 100–102; transfers into/out of, 110; visiting patients in the ICU, 87–96, 105–7
 intensivist, 96
 internal medicine and internist(s), 119
 intra-aortic balloon pump (IABP), 92
 intracranial pressure (ICP) catheter, 92
 intubation, 39, 91–93, 168–69
 isolation: emotional, 204, 209; quarantine, 176, 180
 IV (intravenous) line, 70, 82, 166–68, 170–71
- jaundice, 158–59
 journal, caregiver's, 141–48, 207
- kidneys: blood tests, 154, 157; kidney (renal) failure, 48, 84–85, 152, 158; mannitol for water retention, 151; nephrology, 119; stones, 66. *See also* urination
 knee replacement care plan, 132–35
- lab tests. *See* tests
 lactic acid test, 158
 laparoscopic surgery, 66–67
 laser surgery, 68
 Lasix, 150
 length of hospital stay, 109–10
 licensed practical nurse (LPN), 124. *See also* nurses
 lidocaine, 39, 151
 life support technology, agreeing to use, 42. *See also* living will
 liver function test, 158–59
 living will: discussing with family, 50, 53–54; forms and legal standing, 42–43, 46; legal consultation checklist, 51–52; medical chart and, 138; medical power of attorney, 51, 54; need for, 41–43; precision vs. ambiguity, 45–46; preparing and storing, 53–54; refusing specific treatments, 46–50, 55–57; before surgery, 65; terminal illness situations, 44
 location (finding your way around hospital), 111–16
 Louisville City Hospital, 18–19
 lounge, 112
 lumbar puncture (spinal tap), 169
 lungs: breathing difficulties, 21, 211, 212–13; capacity test, 171; congestion, 211; post-surgical complications, 71, 79; pulmonist/pulmonologist, 122; respiratory failure, 82–83; respiratory therapist, 99. *See also* endotracheal tube; pneumonia; ventilator
- machines and tools, 16, 35–39. *See also* medical equipment at home; *and specific machines and tools by name*

- magnesium carbonate, 151
 magnesium citrate, 151
 mannitol, 151
 MCH (mean corpuscular hemoglobin), 156
 MCHC (mean corpuscular hemoglobin concentration), 156
 MCV (mean corpuscular volume), 156
 medical chart, 136–42
 medical equipment at home, 188, 191
 medical errors, 140
 medical records, confidentiality of, 137–38. *See also* medical chart
 medical rounds, 98
 medical student(s), 125–26
 Medicare, 190, 197–98
 medications (meds; drugs): allergies to, 139, 153; anticoagulants, 71; cardiac drugs, 38–39; common medications, 142, 149–53; after discharge, 185; medication record, 138 (*see also* medical chart); notifying staff about current medications, 153; questions to ask about, 153; reactions to, 169; and surgery, 75–76, 78. *See also specific medications and conditions by name*
 mental confusion, 21, 23, 93, 211
 mental status, assessing, 169–70
 metoprolol succinate, 151
 microbes. *See* bacterial infections
 mobilization, helping patient with, 170
 MODS (multiple organ dysfunction syndrome), 86–87
 monitors, 37, 77–78, 92
 morning medical rounds, 98
 morphine, 152, 196
 MPV (mean platelet volume), 155–56
 MRI (magnetic resonance imaging), 122
 MRSA (methicillin-resistant *Staphylococcus aureus*), 159, 175–76
 mucus, 90
 music, 208
 naloxone, 151
 nasogastric (NG) tube, 92
 nausea: scents and, 88, 209; surgery and, 69, 78; as symptom, 154, 158, 160. *See also* vomiting
 nephrology, 119
 neurological conditions, 85–86, 171. *See also* mental confusion; stroke
 neurology, 120
 Nightingale, Florence, 80
 nitroglycerin, 151–52
 notifying family/friends, 94–95
 nurses: alerting to patient allergies and medications, 153; asking for their help, 161; asking questions of, 100–102, 164; and care plan, 129; charge nurse, 124, 126–27; critical-care, 96–98; emergency-room, 30–32, 33, 35; and emotions, 10; and family presence, 14–15, 17, 106; gender, 9; hospice, 197, 206; ICU, 88, 94, 100–103, 107; and medical chart, 137; offering help to, 173–74; role in hospital hierarchy, 8; talking with, 88, 94, 127–28; triage, 26, 30–32; types and qualifications, 124; working conditions, 127. *See also* staff
 nursing station, 112, 140
 obstetrics and gynecology (OB-GYN), 120
 occupational therapist, 125, 128–29
 oncology, 120
 oozing, 89
 operating room, 77–78
 ophthalmology, 120
 opioids (opiates), 76, 152. *See also* morphine
 oral care, 165
 orthopedic equipment, 37
 orthopedic surgery, 120–21
 osmolality test, 159–60

- otolaryngology (ENT), 121
 outpatient surgery, 60–61, 68–69, 110
- PA (physician's assistant), 123
 PA (pulmonary artery) catheter, 91
 pacemakers, 90
 PACU (post-anesthesia care unit), 78–79
 pain, emergency care for, 21–22
 pain relief medications, 152, 196, 198. *See also* acetaminophen; aspirin; ibuprofen
 palliative care, 5–6, 194. *See also* hospice care
 paramedics and EMTs, 18
 pathology, 121
 patient rights, 42, 137–38
 patient's condition, descriptions of, 103–5
 penicillin, 174, 176, 177
 Percocet and Percodan, 152
 pericarditis, 36
 peripheral line, 92. *See also* IV (intravenous) line
 personal belongings, 111
 pets, 208–9
 pharmacist/clinical pharmacologist, 98, 124–25
 phenytoin, 152
 photographs, family, 94, 207
 physical medicine and rehabilitation (specialty), 121
 physical therapist (physiotherapist), 99, 121, 125, 128–29
 physician assistant (PA), 123
 Picker, Harvey, 5
 plasma, 70
 plastic surgery, 121–22
 platelet count, 155
 Plavix, 150
 pneumonia: antibiotics for, 49; care plan, 129; diagnosing, 36; and respiratory failure, 82–83; after surgery, 71, 79
 podiatry, 122
 poisons, 160
 positive attitude, 106–7
 potassium, 152
 power of attorney (POA; proxy), 51, 54
 prayer, 77
 prednisone. *See* steroids
 privacy, 88, 111, 167, 172
 private rooms, 111–12
 propofol, 152
 protein test, 159
 proxy. *See* power of attorney
Pseudomonas aeruginosa, 177–78
 psychiatry and psychology, 122
 PT/INR test, 156–57
 Pulmicort, 149
 pulmonary (lung) issues. *See* lungs
 pulmonary medicine, 122
 pulse oximeter, 37, 92
 pulseless electrical activity (PEA), 38–39
 pupils (eyes), 171
- quick-reference sheets. *See* checklists
- radiology, 122
 RBC (red blood cell count), 155
 RDW (red cell distribution width), 156
 records. *See* medical chart
 recovery room, 78–79
 recovery ward: bedside vigilance, 161; care plan, 129–35; care team (staff), 110–15, 117–26; familiarizing yourself with ward and hospital, 110–15; medical chart, 135–42; recovery as journey, 108; settling in, 110–11; who you should know, 126–29. *See also* caregiving by family/friends; discharge; medications; tests
 rectal exam, 172
 reflux medications, 76, 151
 registered nurse (RN), 124, 127. *See also* nurses

- remifentanyl, 78
renal failure. *See* kidneys
resident(s), 123
resistance to family involvement, 14–17
respirator. *See* ventilator
respiratory therapist, 99, 124
respirology. *See* pulmonary medicine
respite care, 197. *See also* surrogate
 (backup) caregivers
restraints, on patient, 92–93
resuscitation: for cardiac arrest, 38–39,
 47; DNR (do-not-resuscitate) order,
 54–57, 139; family presence during,
 14–17; triage and, 30. *See also* death
 and dying
rheumatology, 123
Ringer’s lactate, 152
robotic surgery, 67
Rodriguez, Richard, 7
rounds, medical, 98
- safety, at home, 188, 190–92
salbutamol, 152
sanitation. *See* hand washing
Saunders, Cicely, 195–96, 199, 202, 214
Schiavo, Terry, 41–42, 49
scopolamine, 78, 151
second opinion, 62
seizure medications, 76, 152
self-care, 105–7, 114–16
sepsis, 83–84, 154
septic shock, 82
settling in (after admission to ward),
 110–11
shock, 69–70, 82, 150
skin, 22, 89–90, 118
sleep, 106, 206, 210
smells (scents), 88, 209
smoking, 12–13, 72, 90
social worker, 98–99, 100, 103, 125, 181,
 188, 197
sodium bicarbonate, 152
sodium polystyrene, 152
specializations (medical), 117–23
speech difficulties, 21, 93–94
spider bites, 149
spinal tap (lumbar puncture), 169
spirituality, 204–5
splints, 37
sprains, 21–22, 37
staff: compassion, 9–10, 127; consultants
 (specialists), 117–26; ICU staff, 80–
 81, 96–99; and medical chart, 137;
 quasi-military culture, 8–11; recov-
 ery-ward care team, 114–29; slang
 used, 281–317. *See also* doctors;
 nurses
staph infections. *See* MRSA
steroids, 76, 90, 149, 150
stethoscope, 36–37, 166
stitches, 37
stomach. *See* abdomen
streptococcal infections (e.g., “strep
 throat”), 160
stroke: assessment of nerve function,
 170; behavioral changes, 85–86;
 emergency treatment, 22; and living
 wills, 44; neurologist’s role, 120; pre-
 ventive drugs, 150
suicidal thoughts, 21, 23
superbugs (resistant germs), 159, 174–80
surgeon, 60, 65
surgery: checklists, 63–64, 73–74, 76;
 consultation, 59–65; costs, 62; defini-
 tion, 65–66; diagnosis, 39–40; mini-
 mally invasive methods, 66–68; oper-
 ating room, 77–78; orthopedic, 120–
 21; outpatient vs. inpatient, 60–61,
 68–69, 72, 110; post-operative man-
 agement, 72; preoperative manage-
 ment and assessment, 71–74; prepar-
 ing for, 35, 72–76; process, 71–79;
 questions for surgeon, 59–62; rea-
 sons for, 66; recovery phase, 61–62,
 66, 128 (*see also* recovery ward); re-
 covery room, 78–79; risks and com-

- surgery (*continued*)
 plications, 69–71, 79; second opinion, 62; specialties, 120–22, 123
 surrogate (backup) caregivers, 96–97.
See also respite care
 suture tray, 37
 swelling (edema), 84–85, 89, 150, 157
 systemic inflammatory response syndrome (SIRS), 82
- tachycardia, 38–39
 telephone, 27–28, 191–92. *See also* cell phones
 television programs, 14, 16–17
 tenecteplase (TNKase), 152–53
 terminal illness, 44. *See also* death and dying; hospice care
 tests: asking questions about, 164; common tests, 153–61; on medical chart, 139; reassuring/assisting patient during, 173–74; reassuring/distracting patient during, 165, 167–71. *See also specific tests by name*
- thalassemia, 156
 throat swabs, 160
 touch, 94, 209
 tracheotomy (tracheostomy), 83, 92
 traction, 90
 transfer to (another) ward, 110–11
 transfusions, 65, 70, 86
 triage, 26, 30–32
 troponin test, 160
 tube feeding (feeding tube), 41–42, 46–49
 tubes, 91–92. *See also* IV (intravenous) line; tube feeding
 Tylenol (acetaminophen), 142, 151
- ulcers, bleeding, 86
 ultrasound, 122
 United States: access to health care, 19–20; emergency care, 19, 22–24; emergency codes, 162; health-care reform, 30; hospice care, 196, 197–98; hospital statistics, 109; ICU beds, 81; nurses, 127. *See also* health insurance
 updating family/friends, 94–95, 103
 urination: of dying patients, 212; Foley catheter, 71, 91, 166; monitoring output, 172–73; retention of urine, 71; urinalysis (test), 160–61; urostomy, 90. *See also* kidneys
 urology, 123
- vancomycin, 176–77, 180
 ventilator (respirator), 35, 47, 77–78, 83
 ventricular fibrillation, 38–39
 ventricular tachycardia, 38–39
 Vicodin, 152
 vision problems, 21, 23
 visiting patients: bringing food, 12, 161; dying patients, 204, 207; in the ICU, 81, 87–89; rules and schedules, 11–13, 88
 vital signs, assessing, 173. *See also* blood pressure (BP)
 voice, familiar, 93–94
 vomiting: and ARDS, 83; surgery and, 69, 71, 74, 78–79; as symptom, 39, 158; when to go to ER (ED), 21, 23. *See also* nausea
- VRE (vancomycin-resistant *Enterococcus*), 176–77
- waiting room, 19–20, 23–24, 32–33, 72
 ward. *See* recovery ward
 WBC (white blood count), 34, 155
 white blood cell differential, 155
 wounds, 22, 66, 90, 167. *See also* emergency department, emergency room
- X-rays, 122, 173
- yourself, caring for. *See* self-care